

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the specification, pg. 2, line 35, insert --more preferably from 130°C to 220°C-- between "220°C," and "most".

In the specification, pg. 2, line 36, insert --and 205°C to 215°C-- between "220°C" and the period.

The above examiner's amendment was made in order to provide proper antecedent basis for newly added claims 20-22 whose limitations were taken from original claim 6.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steven Bos whose telephone number is (571)272-1350. The examiner can normally be reached on M thru F, 9AM to 6PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stan Silverman can be reached on 571-272-1358. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Steven Bos
Primary Examiner
Art Unit 1736

sjb

/Steven Bos/
Primary Examiner, Art Unit 1736